

## PMMA

### PMMA POSTERIOR CHAMBER SINGLE PIECE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Hapti Design	Ohvem Model	Ohvem Brand
1	5.00 mm	12.50 mm	Equiconvex Spherical Optics	Capsular "C"	AN101	a&n®(ALPHA)
2	5.25 mm	12.00 mm	Equiconvex Spherical Optics	Modified "C"	AN102	
3	5.50 mm	12.50 mm	Equiconvex Spherical Optics	Modified "C"	AN103	
4	6.00 mm	12.50 mm	Equiconvex Spherical Optics	Capsular "C"	AN104	
5	6.00 mm	13.00 mm	Equiconvex Spherical Optics	Modified "C"	AN105	
6	6.00 mm	13.00 mm	Equiconvex Spherical Optics	Modified "C"	AN106	
7	6.50 mm	13.00 mm	Equiconvex Spherical Optics	Modified "C"	AN107	
8	6.50 mm	13.50 mm	Equiconvex Spherical Optics	Modified "C"	AN108	
9	5.50 mm	12.50 mm	Equiconvex Spherical Optics	Capsular "C"	AN109	

### PMMA ANTERIOR CHAMBER SINGLE PIECE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Hapti Design	Ohvem Model	Ohvem Brand
10	6.00 mm	12.50 mm	Equiconvex Spherical Optics	Modified "S"	AN110	a&n®(ALPHA AC)
11	6.00 mm	13.00 mm	Equiconvex Spherical Optics	Modified "S"	AN111	

### PMMA POSTERIOR CHAMBER SINGLE PIECE SQUARE EDGE ASPHERIC INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Hapti Design	Ohvem Model	Ohvem Brand
12	5.25 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN112	a&n®(ALPHA ASPHERIC)
13	5.50 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN113	
14	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN114	

### IRIS CLAW INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Hapti Design	Ohvem Model	Ohvem Brand
15	4.20 mm	7.20 mm	Plano concave / Bi-Convex	Claw	AN115	a&n®(IRIS)
16	5.00 mm	8.50 mm	Plano concave / Bi-Convex	Claw	AN116	
17	5.50 mm	8.50 mm	Plano concave / Bi-Convex	Claw	AN117	

## YELLOW PMMA

### YELLOW PMMA POSTERIOR CHAMBER SINGLE PIECE SQUARE EDGE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Spherical Optics	Modified "C"	AN201	a&n® (ALPHA GOLD)

### YELLOW PMMA POSTERIOR CHAMBER SINGLE PIECE 360° SQUARE EDGE ASPHERIC INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
2	5.25 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN202	a&n®(ALPHA GOLD PLUS)
3	5.50 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN203	
4	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN204	

## HYDROPHILIC

HYDROPHILIC ACRYLIC POSTERIOR CHAMBER SINGLE PIECE FOLDABLE INTRAOCULAR LENS						
S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	5.75 mm	12.00 mm	Equiconvex Spherical Optics	Dual Haptic	AN301	a&n®(BETA)
2	6.00 mm	12.50 mm	Equiconvex Spherical Optics	Dual Haptic	AN302	
3	6.00 mm	12.50 mm	Equiconvex Spherical Optics	Modified "C"	AN303	
4	6.00 mm	11.00 mm	Equiconvex Spherical Optics	Four Haptic	AN304	
5	5.75 mm	12.50 mm	Equiconvex Spherical Optics	Dual Haptic	AN305	

HYDROPHILIC ACRYLIC POSTERIOR CHAMBER SINGLE PIECE 360° SQUARE EDGE ASPHERIC FOLDABLE						
S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
6	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Dual Haptic	AN306	a&n®(BETA PLUS)
7	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN307	
8	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN308	
9	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "C"	AN309	

HYDROPHILIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC						
S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
10	6.00 mm	12.50 mm	Diffraction-Refraction Optics	Dual Haptic	AN310	a&n®(BETA MF)
11	6.00 mm	11.00 mm	Diffraction-Refraction Optics	Four Haptic	AN311	

<b>HYDROPHILIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE</b>						
<b>S.No.</b>	<b>Optic Diameter</b>	<b>Overall Length</b>	<b>Optic Design</b>	<b>Haptic Design</b>	<b>Ohvem Model</b>	<b>Ohvem Brand</b>
12	6.00 mm	12.50 mm	Toric Optics	Dual Haptic	AN312	a&n@(BETA TORIC)
13	6.00 mm	11.00 mm	Toric Optics	Four Haptic	AN313	

<b>HYDROPHILIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS</b>						
<b>S.No.</b>	<b>Optic Diameter</b>	<b>Overall Length</b>	<b>Optic Design</b>	<b>Haptic Design</b>	<b>Ohvem Model</b>	<b>Ohvem Brand</b>
14	6.00 mm	12.50 mm	Multifocal Toric Optics	Dual Haptic	AN314	a&n@(BETA TORIC PLUS)
15	6.00 mm	11.00 mm	Multifocal Toric Optics	Four Haptic	AN315	

## YELLOW HYDROPHILIC

### YELLOW HYDROPHILIC ACRYLIC POSTERIOR CHAMBER SINGLE PIECE 360° SQUARE EDGE ASPHERIC FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Dual Haptic	AN401	a&n® (BETA GOLD)
2	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "C"	AN402	
3	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN403	
4	6.00 mm	13.00mm	Equiconvex Aspheric Optics	Modified "C"	AN404	

### YELLOW HYDROPHILIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
5	6.00 mm	12.50 mm	Diffraction-Refraction Optics	Dual Haptic	AN405	a&n® (BETA GOLD MF)
6	6.00 mm	11.00 mm	Diffraction-Refraction Optics	Four Haptic	AN406	

### YELLOW HYDROPHILIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
7	6.00 mm	12.50 mm	Toric Optics	Dual Haptic	AN407	a&n® (BETA GOLD TORIC)
8	6.00 mm	11.00 mm	Toric Optics	Four Haptic	AN408	

### YELLOW HYDROPHILIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
9	6.00 mm	12.50 mm	Multifocal Toric Optics	Dual Haptic	AN409	a&n® (BETA GOLD MFT)
10	6.00 mm	11.00 mm	Multifocal Toric Optics	Four Haptic	AN410	

## HYDROPHOBIC

### HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN501	a&n® (GAMA)
2	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN502	
3	6.25 mm	13.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN503	

### HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
4	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN504	a&n® (GAMA PLUS)
5	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN505	
6	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN506	

### HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
7	6.00 mm	13.00 mm	Diffraction-Refraction Optics	Modified "C"	AN507	a&n® (GAMA MF)

### HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
8	6.00 mm	13.00 mm	Toric Optics	Modified C	AN508	a&n® (GAMA TORIC)

### HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
9	6.00 mm	13.00 mm	Multifocal Toric Optics	Modified "C"	AN509	a&n® (GAMA MFT)

### HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC 360° SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
10	6.00 mm	13.00 mm	Diffraction-Refraction Optics	Modified "C"	AN510	a&n® (GAMA TF)

### HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL TORIC ASPHERIC 360° SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
11	6.00 mm	13.00 mm	Trifocal Toric Optics	Modified "C"	AN511	a&n® (GAMA TFT)

**EDOF HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER ASPHERIC 360 SQUARE EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
12	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN512	a&n® (GAMA EDOF)

**EDOF HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC 360 SQUARE EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
13	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN513	a&n® (GAMA EDOF TORIC)

**HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE INTRAOCULAR LENS - PRELOADED**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
14	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN514	a&n® (GAMA PL)
15	5.75 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN515	
16	6.25 mm	13.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN516	

**HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
17	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN517	a&n® (GAMA PLUS PL)
18	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN518	
19	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN519	

**HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
20	6.00 mm	13.00 mm	Diffraction-Refraction Optics	Modified "C"	AN520	a&n® (GAMA MF-PL)

**HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
21	6.00 mm	13.00 mm	Toric Optics	Modified C	AN521	a&n® (GAMA TORIC PL)

**HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
22	6.00 mm	13.00 mm	Multifocal Toric Optics	Modified "C"	AN522	a&n® (GAMA MFT-PL)



**HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
23	6.00 mm	13.00 mm	Diffractive-Refractive Optics	Modified "C"	AN523	a&n® (GAMA TF-PL)

**HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
24	6.00 mm	13.00 mm	Trifocal Toric Optics	Modified "C"	AN524	a&n® (GAMA TFT-PL)

**EDOF HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER ASPHERIC SQUARE 360 EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
25	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN525	a&n® (GAMA EDOF PL)

**EDOF HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
26	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN526	a&n® (GAMA EDOF TORIC PL)

**YELLOW HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE INTRAOCULAR LENS**

**YELLOW HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN601	a&n® (GAMA GOLD)
2	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN602	

**YELLOW HYDROPHOBIC ACRYLIC ASPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
3	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN603	a&n® (GAMA GOLD PLUS)
4	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN604	
5	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN605	

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
6	6.00 mm	13.00 mm	Diffraction-Refraction Optics	Modified "C"	AN606	a&n®(GAMA GOLD MF)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
7	6.00 mm	13.00 mm	Toric Optics	Modified C	AN607	a&n®(GAMA GOLD TORIC)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
8	6.00 mm	13.00 mm	Multifocal Toric Optics	Modified "C"	AN608	a&n®(GAMA GOLD MFT)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC 360° SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
9	6.00 mm	13.00 mm	Diffractive-Refractive Optics	Modified "C"	AN609	a&n®(GAMA GOLD TF)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL TORIC ASPHERIC 360° SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
10	6.00 mm	13.00 mm	Trifocal Toric Optics	Modified "C"	AN610	a&n®(GAMA GOLD TFT)

**EDOF YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
11	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN611	a&n®(GAMA GOLD EDOF)

**YELLOW EDOF HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
12	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN612	a&n®(GAMA GOLD EDOF TORIC)

**YELLOW HYDROPHOBIC INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
13	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN613	a&n®(GAMA GOLD PL)
14	5.75 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN614	

15	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN615	
----	---------	----------	----------------------------	--------------	-------	--

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
16	6.00 mm	12.50 mm	Equiconvex Aspheric Optics	Modified "L"	AN616	a&n®(GAMA GOLD PLUS PL)
17	6.00 mm	13.00 mm	Equiconvex Aspheric Optics	Modified "L"	AN617	
18	6.00 mm	11.00 mm	Equiconvex Aspheric Optics	Four Haptic	AN618	

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
19	6.00 mm	13.00 mm	Diffraction-Refractive Optics	Modified "C"	AN619	a&n® (GAMA GOLD MF-PL)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
20	6.00 mm	13.00 mm	Toric Optics	Modified C	AN620	a&n® (GAMA GOLD TORIC PL)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER MULTIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS ( Pre Load )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
21	6.00 mm	13.00 mm	Multifocal Toric Optics	Modified "C"	AN621	a&n® (GAMA GOLD MFT-PL)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL DIFFRACTIVE-REFRACTIVE ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
22	6.00 mm	13.00 mm	Diffraction-Refractive Optics	Modified "C"	AN622	a&n® (GAMA GOLD TF-PL)

**YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TRIFOCAL TORIC ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
23	6.00 mm	13.00 mm	Trifocal Toric Optics	Modified "C"	AN623	a&n® (GAMA GOLD TFT-PL)

**EDOF YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER ASPHERIC SQUARE EDGE SINGLE PIECE FOLDABLE  
INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
24	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN624	a&n® (GAMA GOLD EDOF PL)

**EDOF YELLOW HYDROPHOBIC ACRYLIC POSTERIOR CHAMBER TORIC ASPHERIC SQUARE EDGE SINGLE PIECE  
FOLDABLE INTRAOCULAR LENS ( Pre Loaded )**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
25	6.00 mm	13.00 mm	EDOF Optics	Modified "C"	AN625	a&n® (GAMA GOLD EDOF TORIC PL)

**Hydrophobic Spherical Lens**

**HYDROPHOBIC ACRYLIC SPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Spheric Optics	Modified "L"	AN701	a&n® (GAMA SPHERICAL)
2	6.00 mm	13.00 mm	Equiconvex Spheric Optics	Modified "L"	AN702	
3	6.00 mm	11.00 mm	Equiconvex Spheric Optics	Four Haptic	AN703	

**HYDROPHOBIC ACRYLIC SPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS (PRELOADED)**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Spheric Optics	Modified "L"	AN704	a&n® (GAMA SPHERICAL PL)
2	6.00 mm	13.00 mm	Equiconvex Spheric Optics	Modified "L"	AN705	
3	6.00 mm	11.00 mm	Equiconvex Spheric Optics	Four Haptic	AN706	

**YELLOW HYDROPHOBIC ACRYLIC SPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Spheric Optics	Modified "L"	AN801	a&n® (GAMA GOLD SPHERICAL)
2	6.00 mm	13.00 mm	Equiconvex Spheric Optics	Modified "L"	AN802	
3	6.00 mm	11.00 mm	Equiconvex Spheric Optics	Four Haptic	AN803	

**YELLOW HYDROPHOBIC ACRYLIC SPHERIC FOLDABLE 360° SQUARE EDGE INTRAOCULAR LENS (PRELOADED)**

S.No.	Optic Diameter	Overall Length	Optic Design	Haptic Design	Ohvem Model	Ohvem Brand
1	6.00 mm	12.50 mm	Equiconvex Spheric Optics	Modified "L"	AN804	a&n® (GAMA GOLD SPHERICAL PL)
2	6.00 mm	13.00 mm	Equiconvex Spheric Optics	Modified "L"	AN805	
3	6.00 mm	11.00 mm	Equiconvex Spheric Optics	Four Haptic	AN806	